

JBS&G (43017-59547)

21 October 2014

Doug Wu
Project Manager
Boulderstone Pty Ltd
Via email: Doug.Wu@lendlease.com

**AMR222 - Daily Airborne Asbestos Fibre Monitoring
Randwick Barracks, 373a Avoca Street, Randwick NSW**

Dear Doug,

Please find as **Attachment 1** the daily airborne asbestos fibre monitoring report for works completed at the Randwick Barracks Project site on **20 October 2014**.

All air monitoring was completed in strict accordance with the *Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres* [NOHSC: 3003(2005)], with NATA certification applying to all sample collection, handling and analytical procedures.

All reported results were satisfactory and below the minimum action levels for control monitoring as outlined in:

- Work, Health and Safety (2011) Regulation; and
- WorkCover Authority of NSW (2011) Code of Practice – *How to Safely Remove Asbestos*.

If you have any questions regarding these results, please feel free to contact the undersigned on 02 8245 0300 or by email msamuel@jbsg.com.au.

Yours sincerely



Michael Samuel
Licensed Asbestos Assessor (LAA 000157)
JBS&G Australia Pty Ltd

Attachment 1 – Daily Airborne Asbestos Fibre Monitoring Report

Certificate of Analysis



NATA Accredited
Accreditation Number 1261
Site Number 18217

Accredited for compliance with ISO/IEC 17025.
 The results of the tests, calibrations and/or
 measurements included in this document are
 traceable to Australian/national standards.

JBS & G Australia (NSW & WA) P/L
Level 1, 50 Margaret St
Sydney
NSW 2000

Attention: Michael Samuel
Report 435853-AFC
Project Name RANDWICK 43017
Received Date Oct 20, 2014
Date Reported Oct 20, 2014

METHODOLOGY:

Asbestos Sampling	Sampling as per the National Occupational Health & Safety Commission - Guidance Note on The Membrane Filter Method For Estimating Airborne Asbestos Fibres 2nd Edition [NOHSC:3003(2005)]
Pump Calibration	Mini Buck Model M-5: Calibrated against National Institute of Standards & Technology (NIST) SOP 13 Standard Operating Procedure for Calibration of Volumetric Ware, Gravimetric Method utilising a 1000 mL burette with a digital stop watch.
Asbestos Counting	Conducted in accordance with the National Occupational Health & Safety Commission - Guidance Note on The Membrane Filter Method For Estimating Airborne Asbestos Fibres 2nd Edition [NOHSC:3003(2005)] and in-house Method LTM-ASB-8010.

Project Name RANDWICK 43017
Project ID
Date Sampled Oct 20, 2014
Report 435853-AFC

Eurofins mgt Sample No.	Client Sample ID	Pump ID	Location	Start (time)	End (time)	Start Flow Rate (L/min)	End Flow Rate (L/min)	Average Flow Rate (L/min)	Result (Fibres/mL)
14-Oc13472	CM389972	SKC 007	NORTH PORTION OF SITE ADJ TO SITE SHEDS	7:50	12:50	1.5	1.5	1.5	< 0.01*
14-Oc13473	CM390169	SKC 144	SOUTH BOUNDARY BESIDE HOUSES	7:52	12:52	1.5	1.5	1.5	< 0.01
14-Oc13474	CM389974	SKC 478	BOUNDARY OF SITE AND AVOCA ST, WEST	7:54	12:54	1.5	1.5	1.5	< 0.01
14-Oc13475	CM389980	SKC 146	NORTH PORTION OF SITE ADJ TO CAR PARK ACCESS	7:56	12:56	1.5	1.5	1.5	< 0.01
14-Oc13476	CM390194	SKC 130	CENTRAL AREA OF CONSTRUCTION	7:58	12:58	1.5	1.5	1.5	< 0.01
14-Oc13477	CM390308	SKC 136	WEST FACE OF CONSTRUCTION	8:00	13:00	1.5	1.5	1.5	< 0.01
14-Oc13478	CM389962	BLANK	BLANK	-	-	-	-	-	0 fibres/ 100 fields

Sample History

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported. A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results (regarding both quality and NATA accreditation).

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
Asbestos – LTM-ASB-8010	Sydney	Oct 20, 2014	Indefinite

Company Name: JBS & G Australia (NSW & WA) P/L
Address: Level 1, 50 Margaret St
 Sydney
 NSW 2000
Project Name: RANDWICK 43017

Order No.:
Report #: 435853
Phone: 02 8245 0300
Fax:

Received: Oct 20, 2014 1:40 PM
Due: Oct 20, 2014
Priority: Same day
Contact Name: Michael Samuel

Eurofins | mgt Client Manager: Charl Du Preez

Asbestos (concentration of fibres in air)

Sample Detail

Laboratory where analysis is conducted					
Melbourne Laboratory - NATA Site # 1254 & 14271					
Sydney Laboratory - NATA Site # 18217					
Brisbane Laboratory - NATA Site # 20794					
External Laboratory					
Sample ID	Sample Date	Sampling Time	Matrix	LAB ID	
CM389972	Oct 20, 2014	12:50PM	Air	S14-Oc13472	X
CM390169	Oct 20, 2014	12:52PM	Air	S14-Oc13473	X
CM389974	Oct 20, 2014	12:54PM	Air	S14-Oc13474	X
CM389980	Oct 20, 2014	12:56PM	Air	S14-Oc13475	X
CM390194	Oct 20, 2014	12:58PM	Air	S14-Oc13476	X
CM390308	Oct 20, 2014	1:00PM	Air	S14-Oc13477	X
CM389962	Oct 20, 2014		Air	S14-Oc13478	X

Eurofins | mgt Internal Quality Control Review and Glossary

General

1. QC data may be available on request.
2. All soil results are reported on a dry basis, unless otherwise stated.
3. Samples were analysed on an 'as received' basis.
4. This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the Sample Receipt Advice.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

UNITS

% w/w: weight for weight basis	grams per kilogram
Filter loading:	fibres/100 graticule areas
Reported Concentration:	fibres/mL
Flowrate:	L/min

TERMS

Dry	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
LOR	Limit of Reporting.
COC	Chain of custody
SRA	Sample Receipt Advice
ISO	International Standards Organisation
AS	Australian Standards
WA DOH	Western Australia Department of Health
NOHSC	National Occupational Health and Safety Commission
ACM	Bonded asbestos-containing material means any material containing more than 1% asbestos and comprises asbestos-containing-material which is in sound condition, although possibly broken or fragmented, and where the asbestos is bound in a matrix such as cement or resin. Common examples of ACM include but are not limited to: pipe and boiler insulation, sprayed-on fireproofing, troweled-on acoustical plaster, floor tile and mastic, floor linoleum, transite shingles, roofing materials, wall and ceiling plaster, ceiling tiles, and gasket materials. This term is restricted to material that cannot pass a 7 mm x 7 mm sieve. This sieve size is selected because it approximates the thickness of common asbestos cement sheeting and for fragments to be smaller than this would imply a high degree of damage and hence potential for fibre release.
FA	FA comprises friable asbestos material and includes severely weathered cement sheet, insulation products and woven asbestos material. This type of friable asbestos is defined here as asbestos material that is in a degraded condition such that it can be broken or crumbled by hand pressure. This material is typically unbonded or was previously bonded and is now significantly degraded (crumbling).
PACM	Presumed Asbestos-Containing Material means thermal system insulation and surfacing material found in buildings, vessels, and vessel sections constructed no later than 1980 that are assumed to contain greater than one percent asbestos but have not been sampled or analyzed to verify or negate the presence of asbestos.
AF	Asbestos fines (AF) are defined as free fibres, or fibre bundles, smaller than 7mm. It is the free fibres which present the greatest risk to human health, although very small fibres (< 5 microns in length) are not considered to be such a risk. AF also includes small fragments of bonded ACM that pass through a 7 mm x 7 mm sieve. (Note that for bonded ACM fragments to pass through a 7 mm x 7 mm sieve implies a substantial degree of damage which increases the potential for fibre release.)
AC	Asbestos cement means a mixture of cement and asbestos fibres (typically 90:10 ratios).

Comments

Volume Measurement : M Hunter, JBS & G Australia (NSW & WA) P/L, has been trained by Eurofins | mgt and they conducted the sampling in accordance with the National Occupational Health & Safety Commission - Guidance Note on The Membrane Filter Method For Estimating Airborne Asbestos Fibres 2nd Edition [NOHSC:3003(2005)] methodology. Sampling pumps used by JBS & G Australia (NSW & WA) P/L were calibrated by Eurofins | mgt and therefore volume measurements contained in this report are traceable back to Eurofins | mgt. Eurofins | mgt are responsible for all data contained in this report.

Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

Qualifier Codes/Comments

Code	Description
N/A	Not applicable

Authorised by:

Nibha Vaidya

Senior Analyst-Asbestos (NSW)


Glenn Jackson
National Laboratory Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Uncertainty data is available on request

Eurofins | mgt shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins | mgt be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.