

SCES No 012457/1
Issued Mar 2011



Australian Government

Department of Defence

Defence Materiel
Organisation

SIMPLEX

COMPLETE EQUIPMENT SCHEDULE

FOR

2320-66-157-6941 TRUCK, UTILITY SURVEILLANCE, L/ROVER 110 TRUCK, LIGHT
WEIGHT, RFSV (UPGRADE), C/W CES ITEMS

STOCK ITEM GROUP CODE 2320-0109

AUTHORISED FOR USE WITHIN THE
AUSTRALIAN DEFENCE FORCE

PREPARED & ISSUED BY DEFENCE MATERIEL ORGANISATION, LAND ENGINEERING AGENCY, TDC.

SCES No. 012457/1
Issued Mar 2011

ITEMS REQUIRED TO MAKE UP THE COMPLETE EQUIPMENT

Item	NSN	Designation	UoI	Qty/Sub	Qty/Equ	STC	Footns
<u>PART 1(Main Items)</u>							
1	2320-66-159-0690	TRUCK, UTILITY SURVEILLANCE, L/ROVER 110 TRUCK, LIGHT WEIGHT, RFSV (UPGRADE), MAIN ITEM CES NOT STOCKED		-	1	M	A
<u>PART 2A(Items Required for Normal Operations of Equipment)</u>							
2	2530-66-128-6139	WHEEL, PNEUMATIC TIRE 16 IN.		-	3	X	
3	2540-66-128-4765	CHOCK, WHEEL-TRACK PRESSED STEEL, 85 MM W, 282 MM LG, 150 MM H		-	2	X	
4	2540-66-128-5020	BOW, VEHICULAR TOP FRONT		-	1	X	
5	2540-66-128-6207	BOW, VEHICULAR TOP REAR ROLL CAGE		-	1	X	
6	2540-66-128-6211	SCREEN, INSECT 790 MM X445 MM O/A, CORESPUN COTTON DUCK BORDER, 8 X 22 SWG STAINLESS STEEL WIRE MESH.		-	1	X	
7	2540-66-128-6403	COVER, SEAT, VEHICULAR LT WT CANVAS, SEAT CUSHION		-	2	X	
8	2540-66-128-6404	COVER, SEAT, VEHICULAR LT WT CANVAS, SEAT BACK		-	2	X	
9	2540-66-157-8028	COVER, FITTED, VEHICULAR BODY CAMOUFLAGED		-	1	M	

SCES No. 012457/1
Issued Mar 2011

Item	NSN	Designation	UoI	Qty/Sub	Qty/Equ	STC	Footns
10	2540-66-158-3028	LADDER, VEHICLE BOARDING REAR STEP ASSEMBLY, C/W REAR STEP, HINGE LH & RH, ADJUSTABLE LATCH, LOCK PIN, DOUBLE LOOP PIN & LANYARD	AY	-	1	X	
11	2590-66-128-6402	COVER, VEHICULAR COMPONENTS DASHBOARD, POLYURETHANE COATED NYLON		-	1	X	
12	2610-66-107-8545	TIRE, PNEUMATIC, VEHICULAR 7.50-16, 8 PLY, LIGHT TRUCK, OFF ROAD, BIAS PLY, TUBED, CUSTOM XTRA GRIP		-	3	A	
13	2610-66-118-4061	INNER TUBE, PNEUMATIC TIRE, VEHICULAR 7.50-16, VALVE TR 259/86SB, OFF CENTRE, LIGHT TRUCK		-	3	X	
14	2640-00-050-1229	VALVE CORE PNEUMATIC TYRE, STAINLESS STEEL, HIGH SPRING TENSION		-	5	X	
15	2640-00-060-3550	CAP, PNEUMATIC VALVE BRASS, SEALING AND DEFLATING, 5/16 IN.UNEF INT THD		-	5	X	
16	3940-66-142-7722	BLOCK, TACKLE SNATCH, SINGLE SHEAVE, 150 MM DIA, WLL 3400 KG, RECOVERY LOAD RATING, 10 MM 7000 KG, 11 MM 8500 KG		-	1	X	
17	4010-66-128-6450	CHAIN ASSEMBLY, SINGLE LEG WINCH, 10 MM STOCK DIA, 3 M O/A LG, 3.2 TONNE WLL, C/W SWIVEL LATCH/SAFETY HOOK & OBLONG LINK		-	2	X	

SCES No. 012457/1
Issued Mar 2011

Item	NSN	Designation	UoI	Qty/Sub	Qty/Equ	STC	Footns
18	4030-66-136-4645	SHACKLE BOW, ALLOY STEEL, QUALITY GRADE "S"; 16. 0 MM NOM DIA; 27.0 MM OPENING W; COMPLETE WITH METRIC THREAD COLLAREDEYE PIN; 3. 2 TONNE SWL.		-	4	X	
19	4210-66-135-2640	EXTINGUISHER, FIRE DRY CHEMICAL, 1.5 KG CAPACITY, STORED PRESSURE REGULATED CHARGE TYPE		-	1	A	
20	4720-66-128-6401	HOSE ASSEMBLY, NONMETALLIC 5 MM ID BY 10 M LG, FOR TYRE INFLATION.		-	1	X	
21	4910-66-054-4679	GAGE, TIRE PRESSURE, SELF-CONTAINED PORTABLE, BAR TYPE, 20 TO 140 PSI RANGE, 2 PSI CALIBRATIONS, 165 MM O/A LG, W/POCKET CLIP		-	1	X	
22	5110-66-011-0377	AXE, SINGLE BIT 2 KG, 130 MM CUTTING EDGE, 820 MM LG HANDLE		-	1	X	
23	5120-66-010-8484	HAMMER, HAND ENGINEERS, BALL PEIN, 675 GM (24 OZ) HD WT		-	1	X	
24	5120-66-011-1988	TIRE IRON 24-1/2 IN.LG, BEAD BREAKER		-	2	X	
25	5120-66-012-6108	JACK, HYDRAULIC, HAND SELF-CONTAINED, DOUBLE LIFT, 6-3/4 IN CLOSED H, 14-1/2 IN EXTENDED H , W/HANDLE, 2-1/2 TON		-	1	R	
26	5120-66-012-6821	HANDLE, MATTOCK-PICK WOOD, 2.3 KG PICK, 900 MM LG		-	1	X	

SCES No. 012457/1
Issued Mar 2011

Item	NSN	Designation	UoI	Qty/Sub	Qty/Equ	STC	Footns
27	5120-66-012-6893	PICK, DIGGING POINT AND CHISEL ENDS, 5 LB, W/O HANDLE		-	1	X	
28	5120-66-013-6748	WRENCH, ADJUSTABLE 300MM LG, 34MM MAX JAW OPENING, CHROMED STEEL		-	1	X	
29	5120-66-016-0098	WRENCH, BOX BI-HEX, DOUBLE OFFSET, DOUBLE ENDED, 1/2 IN. & 9/16 IN. A/F		-	1	X	
30	5120-66-016-1255	WRENCH, OPEN END FIXED, DOUBLE ENDED, 15 DEG OFFSET, 5/8I N. AND 11/16 IN. A/F, 7.2 IN. O/A LG		-	1	X	
31	5120-66-016-1257	WRENCH, OPEN END 1/2 X 9/16 IN. A/F		-	1	X	
32	5120-66-016-1851	WRENCH, BOX O/A STEEL, DOUBLE OFFSET DOUBLE HEAD45 DEG HEAD OFFSET ANGLE, F/E 5/8" W/S SIZE, BOTH ENDS INTERNAL 12 POINT. WRENCH RIN G, BI-HEXAGO. 5/8" 11/16" AF		-	1	X	
33	5120-66-016-2353	HANDLE, SOCKET WRENCH STEEL, SLIDING, T-TYPE, 1/2 IN. SQ MALEDRIVE, 275 MM LG		-	1	X	
34	5120-66-021-1612	KEY, SOCKET HEAD SCREW HEX, L-TYPE, SHORT SERIES, 6MM		-	1	X	
35	5120-66-023-9517	PLIERS 165MM O/A LG, COMBINATION W/CUTTER		-	1	X	

SCES No. 012457/1
Issued Mar 2011

Item	NSN	Designation	UoI	Qty/Sub	Qty/Equ	STC	Footns
36	5120-66-024-7832	SCREWDRIVER, CROSS TIP METRIC, 8MM CROSS TIP, 150MM LG BLADE, CELLULOSE ACETATE HANDLE		-	1	X	
37	5120-66-026-0206	SCREWDRIVER, FLAT TIP METRIC, 8MM FLAT TIP, 150MM LG BLADE, CELLULOSE ACETATE HANDLE		-	1	X	
38	5120-66-027-2809	KEY, SOCKET HEAD SCREW 14 MM, HEX, L-TYPE, STEEL, STD SERIES, 140 MM LONG ARM, 55 MM SHORT ARM		-	1	X	
39	5120-66-048-8548	BASEPLATE, JACK WOOD, 300MM X 300MM X 50MM, FITTED W/2 COACH BOLTS		-	1	X	
40	5120-66-050-2462	WRENCH, BOX AND OPEN END, COMBINATION DOUBLE ENDED, 8MM SIZE BOTH ENDS, 15 DEG HEAD ANGLE, 110MM LG		-	1	X	
41	5120-66-062-5751	MALLET, RUBBER FLAT FACED, 3 IN.DIA OF FACES, 4-1/2 IN. LG		-	1	X	
42	5120-66-065-8848	WRENCH, BOX AND OPEN END, COMBINATION METRIC, 12 MM		-	1	X	
43	5120-66-065-8849	WRENCH, BOX AND OPEN END, COMBINATION METRIC, 13 MM		-	1	X	
44	5120-66-065-8850	WRENCH, BOX AND OPEN END, COMBINATION METRIC, 14 MM		-	1	X	
45	5120-66-065-8853	WRENCH, BOX AND OPEN END, COMBINATION METRIC, 17 MM		-	1	X	

SCES No. 012457/1
Issued Mar 2011

Item	NSN	Designation	UoI	Qty/Sub	Qty/Equ	STC	Footns
46	5120-66-065-8855	WRENCH, BOX AND OPEN END, COMBINATION 19MM RING-OPEN END		-	1	X	
47	5120-66-082-6513	WRENCH, BOX AND OPEN END, COMBINATION METRIC, 10 MM		-	1	X	
48	5120-66-082-6518	WRENCH, BOX AND OPEN END, COMBINATION METRIC, 15 MM DEG OFFSET, 197 MM LG		-	1	X	
49	5120-66-097-4962	SCREWDRIVER, CROSS TIP METRIC, CELLULOSE ACETATE HANDLE, POZIDRIVE NO.2 POINT, 150 MM BLADE		-	1	X	
50	5120-66-115-4530	SCREWDRIVER, CROSS TIP METRIC, 6.3MM CROSS TIP, 150MM LG BLADE, CELLULOSE ACETATE HANDLE		-	1	X	
51	5120-66-128-6175	JACK, HI-LIFT		-	1	X	
52	5120-66-130-3061	WRENCH, WHEEL NUT STEEL, 27 MM, 9/16 IN. BSF		-	1	X	
53	5120-66-146-7939	SHOVEL, HAND 925 MM LG, FITTED WITH DEE HANDLE		-	1	X	
54	5120-66-150-1437	SCREWDRIVER, CROSS TIP EPROC SCREWDRIVER POZIDRIV 65-535 NO.3 X 140MM		-	1	X	
55	5120-99-401-9663	REPAIR TOOL, PNEUMATIC TIRE VALVE		-	1	X	

SCES No. 012457/1
Issued Mar 2011

Item	NSN	Designation	UoI	Qty/Sub	Qty/Equ	STC	Footns
56	5140-66-067-5483	ROLL, TOOLS AND ACCESSORIES CLOTH COATED NYLON, 2 POCKETS, 14 LOOPS, 690MM LG X 380MM W, WATER REPELLANT, MILDEW RESISTANT, W/BUCKLE AND STRAP LENGTH OF 1050MM, (1.05M)		-	1	X	
57	5340-66-017-2216	PADLOCK BRASS, SOLID CASE, STEEL SHACKLE, 44.5 M M W, 47.6 MM SHACKLE CLEARANCE		-	1	X	
58	5340-66-089-4637	PADLOCK BRASS, SOLID CASE, STEEL SHACKLE, 28.6 M M W, W/DEAD BOLT LOCKING		-	4	X	
59	6140-66-090-1903	BATTERY, STORAGE 12 V, 90 AH, 15 PLATE, 340/350 MM LG, 17 0/175 MM W, 230/235 MM H		-	2	A	
60	7240-66-021-5710	CAN, DISPENSING, FUNNEL TOP TINPLATE, 500 ML CAPACITY, W/O HANDLE		-	1	X	
61	7240-66-054-8602	CAN, MILITARY WATER, PLASTIC, 22 LITRE		-	1	X	
62	7240-66-063-2338	FILLER NECK ASSEMBLY GOOSENECK TYPE, JERRY CAN, FUEL, W/STRAINER		-	1	X	
63	7240-99-802-2405	CAN, MILITARY STEEL, 20 LITRE, JERRYCAN		-	2	X	

SCES No. 012457/1
Issued Mar 2011

Item	NSN	Designation	UoI	Qty/Sub	Qty/Equ	STC	Footns
64	7530-66-107-1001	BOOK, RECORD GM120, RECORD BOOK FOR SERVICE EQUIPMENT - C/O COVER, TABBED DIVIDERS, (PARTS 1 TO 10), & 4 SETS OF INSERTS, (GM120-1, G M120-2, GM120-3 & GM120-4), CURRENT VERSIONS ARE FROM REVISED AUG 97	BK	-	1	X	
65	7610-66-159-0072	MANUAL, TECHNICAL USER HANDBOOK FOR TRUCK, SURVEILLANCE, LIGHTWEIGHT, W/WINCH, MC2 (2320-66-128- 4230); AND TRUCK, SURVEILLANCE, LIGHTWEIGHT, RFSV (UPGRADE) (2320-66-157-6941)		-	1	X	
66	8110-66-016-0717	CAN, SCREW CAP TIN, OIL CONTAINER, RECTANGULAR 5 LITRES CAPACITY		-	1	X	
67	8115-66-022-0114	BOX, SMALL PARTS PLASTICS, 4-1/2 IN.LG BY 2-1/2 IN.W BY 2 -3/4 IN.H, W/LID		-	2	X	
68	8135-66-158-3688	DIVIDER, BOX STEEL, 474MM H		-	4	X	
69	8415-66-012-6132	GLOVES, MEN'S ONE SIZE FITS ALL, LEATHER, INDUSTRIAL, GREY	PR	-	1	X	
70	9905-66-018-3897	SIGN WARNING, MOTOR VEHICLE, TRIANGULAR, SIDES 13 IN. LG, RED & WHITE, W/DURABLE CASE & DESIGNED TO WITHSTAND WINDS OF 50 KPH (BOX 3 OF 3)	BX	-	1	X	

PART 2B(Optional Equipment - To be Demanded and Accounted for Separately)

71	4910-66-128-6406	MAINTENANCE KIT, VEHICULAR REGIONAL FORCES SURVEILLANCE VEHICLE	KT	-	SCES No. 012457/1 Issued Mar 2011 1 A
----	------------------	--	----	---	---

SCES No. 012457/1
Issued Mar 2011PART 3(Equipment Description and Information Section)COLUMN HEADING ABBREVIATIONS

Item	CES Item No
NSN	NATO Stock No
UoI	Unit of Issue (Left blank when (EA))
Qty/Sub	Quantity per sub assembly
Qty/Eqp	Quantity per equipment
STC	Stock Type Code
Footns	Footnote

AMENDMENT CODES

0a	Change of NSN/Designation of the item previously shown including change to NATO Class.
0b	Item changed to the latest mark/pattern (i.e. WSE supersessions).
0c	Item changed to the latest mark/pattern where old item has been made obsolete (i.e. Stat 4 with replacement).
0d	Item made obsolete without replacement.
0e	Entitlement variation (e.g. EEV Actions).
0f	Entitlement now shown on another document. (e.g. Block scales, RPS etc.)
0g	Change of Stock Type.
0h	Change of unit of issue.
0j	Change to format or Entitlement Group/Stock Item Group Codes.

The codes are placed in front of the item concerned, with the following exceptions "0d" or "0f" will be shown under the current item (i.e. 0d item 5 of previous issue) and "0j" codes will appear on the face sheet.

SCES No. 012457/1
Issued Mar 2011BRIEF GENERAL DESCRIPTION

A collection of items that make up the CES for the Truck, Utility Sureveillance, L/Rover 110 Truck.

ASSOCIATED DOCUMENTSFOOTNOTES

A: Main item. Not to be demanded and accounted for separately.

NOTE

1. Stock Type classifications are correct at time of compilation. Users should check Military Integrated Logistic Information System (MILIS) for current Stock Type classifications.